according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

Ref

Rev. no.

MA10002433/D 1.5 **Revision Date** 08.04.2020

Print Date

17.04.2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Trade name	StoPur WV 200 Komp. A
1.2 Relevant identified uses of the substance or mixture and uses advised against	Coating material Reserved for industrial and professional use.
Uses advised against	This information is not available.
1.3 Details of the supplier of the safety data sheet	Sto SE & Co. KGaA Ehrenbachstr. 1 D - 79780 Stühlingen Telephone: +49 7744 57-0 Telefax: +49 7744 57 -2178 infoservice@sto.com
E-mail address of person responsible for the SDS European Union	Sto SE & Co. KGaA TIQ Quality Management Department p.hammerschmitt@sto.com
1.4 Emergency telephone number European Union	Phone: +44 (0)1235 239 670

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210

Safety data sheet available on request.

EUH208

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one[EC no.247-500-7]and 2-methyl-2H-isothiazol-3-one[EC no.220-239-6] (3:1). May produce an allergic reaction.



according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

These are preservatives.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature Polyhydric alcohol component in polyurethane resin. Components Remarks : No hazardous ingredients

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	Move to fresh air.
Skin contact	Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. If symptoms persist, call a physician.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.
Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media	CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistantfoam.
Unsuitable extinguishing media	High volume water jet
5.2 Special hazards arising	Fire may cause evolution of:
from the substance or	Carbon monoxide
mixture	Carbon dioxide (CO2)
	Nitrogen oxides (NOx)
	Exposure to decomposition products may be a hazard to health.



according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Additional advice

Use water spray to cool unopened containers. Water for fire fighting must not be emptied into drains, earth or waters. Contaminated water and earth must be disposed of according to official local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions,protective equipment andemergency procedures6.2 Environmentalprecautions	Ensure adequate ventilation. Use personal protective equipment. The product should not be allowed to enter drains, water courses or the soil. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for containment and cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly.
6.4 Reference to other sections	Refer to protective measures listed in sections 7 and 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Do not get in eyes or mouth or on skin. Prevent unauthorized access. Provide sufficient air exchange and/or exhaust in work rooms. Comply with the statutory regulations on health and safety at work.
Hygiene measures	Wash hands before breaks and immediately after handling the product. After washing hands, replenish lost skin oil by means of oily skin ointment. When using do not eat, drink or smoke. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Keep working clothes separately.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	Keep out of reach of children.
areas and containers	Store in original container.
	Containers which are opened must be carefully resealed and kept upright
	to prevent leakage.

according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

	Observe label precautions. Protect from frost, heat and sunlight.
Advice on protection against fire and explosion	When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, fumes.
Advice on common storage	Keep away from oxidizing agents and strongly acid or alkaline materials.
7.3 Specific end use(s)	For further information, see also Technical Data Sheet for the product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

The lists that were valid during the creation were used as basis. Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Ensure good ventilation; if possible, use / install internal extractor equipment.

Individual protection measures, such as personal protective equipment

a) Eye/face protection	Safety glasses with side-shields conforming to EN166
b) Skin protection Hand protection	Wearing time: < 30 min Minimum thickness: 0,11 mm Gloves made of the following materials are suitable as protection from splashes: Gloves made of nitrile rubber,e.g. KCL 740 Dermatril® (Kächele-Cama- Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Wetted gloves must be disposed of immediately!
	Wearing time: > 480 min Minimum thickness: 0,4 mm Gloves in the following material can be used for prolonged contact up to max. 8 hours:
	Gloves made of nitrile rubber,e.g. KCL 730 Camatril® Velours (Kächele- Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Dispose of wetted gloves at the end of the shift!
	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Cotton undergloves are recommendable when wearing protective gloves! To avoid skin problems reduce the wearing of gloves to the required

according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

	minimum. Only use chemical-protective gloves with CE-labelling of category III.	
Body Protection	Impervious clothing If splashes are likely to occur, wear: Solvent-resistant apron and boots	
c) Respiratory protection	In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn when mixing or decanting these components > 1 hour / day. Recommended Filter type: A/P2 combination filter, alternatively a respiratory protective device independent from the surrounding air. Respiratory protection complying with EN 14387. For rescue and maintenance work in storage tanks use self-contained breathing apparatus.	
General precautions and other information	The instructions for the personal protective equipment apply to the handling of both individual components and of the ready-to-use mixture.	
Environmental exposure controls		
General advice	The product should not be allowed to enter drains, water courses or the soil. If the product contaminates rivers and lakes or drains inform respective authorities.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	liquid
Colour	various
Odour	very faint
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	> 100 °C
Evaporation rate	not applicable
Flammability (solid, gas)	not applicable
Upper explosion limit / Upper flammability limit	No data available
Lower explosion limit / Lower	No data available

according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

	flammability limit	
	Vapour pressure	No data available
	Vapour density	No data available
	Density	ca. 1,3 g/cm³ (23 °C)
	Solubility(ies) Water solubility	emulsifiable
	Partition coefficient: n- octanol/water	not determined
	Auto-ignition temperature	not auto-flammable
	Decomposition temperature	No data available
	Viscosity Viscosity, dynamic	ca. 800 mPa.s (23 °C)
	Explosive properties	Not explosive
	Oxidizing properties	Not applicable
9.2 0	Other information	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Flow time

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	This information is not available.
10.4 Conditions to avoid	
Conditions to avoid	Direct sources of heat. Strong sunlight for prolonged periods.
10.5 Incompatible materials	

Materials to avoid	Strong acids and strong bases
	Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition	No decomposition if stored and applied as directed.
products	

No data available



according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

Decomposition temperature

No data available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects Acute toxicity Product:	5
	Acute oral toxicity	Based on available data, the classification criteria are not met.
	Acute inhalation toxicity	Based on available data, the classification criteria are not met.
	Acute dermal toxicity	Based on available data, the classification criteria are not met.
	Skin corrosion/irritation <u>Product:</u>	Based on available data, the classification criteria are not met.
	Serious eye damage/eye irritation <u>Product:</u>	Based on available data, the classification criteria are not met.
	Respiratory or skin sensitisation <u>Product:</u>	Based on available data, the classification criteria are not met.
	Germ cell mutagenicity <u>Product:</u> Genotoxicity in vitro	Based on available data, the classification criteria are not met.
	Carcinogenicity <u>Product:</u>	Based on available data, the classification criteria are not met.
	Reproductive toxicity <u>Product:</u> Effects on fertility	Based on available data, the classification criteria are not met.
	Developmental Toxicity	Based on available data, the classification criteria are not met.
	STOT - single exposure <u>Product:</u>	Based on available data, the classification criteria are not met.
	STOT - repeated exposure <u>Product:</u>	Based on available data, the classification criteria are not met.
	Aspiration toxicity <u>Product:</u> Based on available data, the classific	ation criteria are not met.
	Experience with human exposure Product:	
	General Information	Long-term or repeated contact with the product leads to degreasing of the skin and can cause nonallergenic contact skin damage

(contact dermatitis) and / or the resorption of substances.



according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

Solvent sprays can cause irritation and reversible damage to the eye.

Further information Product:

The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Product: Toxicity to fish

No data available

12.2 Persistence and degradability <u>Product:</u> Biodegradability

No data available

12.3 Bioaccumulative potential <u>Product:</u>

Bioaccumulation

12.4 Mobility in soil <u>Product:</u> Mobility

No data available

No data available

12.5 Results of PBT and vPvB assessment Product: Assessment This sub

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects <u>Product:</u>

Additional ecological information

Do not allow product to enter into ground water, bodies of water or sewage systems.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

The user is responsible for proper coding and marking of any waste. When used as recommended, the waste code can be selected according to the code of the European Waste Catalogue (EWC), category 17.09 "Other Construction and Demolition Waste" Unhardened product residues should be disposed of under the recommended waste code number.



according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

Contaminated packaging	Packaging that is not properly emptied must be disposed of as the unused product. Empty packaging should be recycled through disposal systems.
Waste key for the unused product	08 01 12 Waste paint and varnish other than those covered by 08 01 11

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

This information is not available.

 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

 Remarks
 Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC Directive 2010/75/EU	0,5 %
VOC	0,8 %
Directive 2004/42/EC	10,0 g/l



according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

EU limit value for this product (cat. A/j) :140 g/IThis product contains max140 g/IVOC.

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Not applicable

Further notes

For further information, see also Technical Data Sheet for the product.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: OTHER INFORMATION

Changes from the previous version are indicated by markings in the left-hand margin. The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative



according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A

Further information

Other information

It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing MSDS

Abteilung TIQ Sto SE & Co. KGaA Stühlingen p.hammerschmitt@sto.com

Product code REG_EU / EN PROD0308

sto

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

StoPur WV 200 Komp. A