

according to Regulation (EC) No. 1907/2006

MA10002453/

1.5 Rev. no.

04.10.2018 **Revision Date** 

**Print Date** 04.11.2019

# StoAqua Top Satin

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name StoAqua Top Satin

1.2 Relevant identified uses

of the substance or mixture Wood coating and uses advised against Glazing

Uses advised against This information is not available.

1.3 Details of the supplier of

the safety data sheet

Ehrenbachstr. 1 D - 79780 Stühlingen Telephone: +49 7744 57-0 Telefax: +49 7744 57 -2178 infoservice@sto.com

Sto SE & Co. KGaA

Sto SE & Co. KGaA

E-mail address of person

responsible for the SDS **TIQ Quality Management Department European Union** 

e.volz@sto.com

1.4 Emergency telephone number European Union

Phone: +44 (0)1235 239 670

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### **Additional Labelling:**

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-

4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one. May

produce an allergic reaction.

For 2-Methyl-2H-Isothiazol-3-one (MIT), a labelling threshold of 15



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

II

ppm is voluntarily used in accordance with the CEPE recommendation (instead of 100 ppm).

#### Regulation concerning biocidal products (528/2012):

Contains 1,2-benzisothiazol-3(2H)-one , mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one. As active agents for storage protection in accordance with Biocidal Product Regulation (528/2012), Article 58(3)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

Chemical nature Wood finishing lacquer

#### **Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (%		
	EC-No.	(REGULATION (EC) No	w/w)		
	Registration number	1272/2008)			
Substances with a workplace exposure limit :					
(2-methoxymethylethoxy)	34590-94-8		≥ 1 - < 5		
propanol	252-104-2	WEL substance, Not a			
	01-2119450011-60-XXXX	dangerous substance according to GHS.			

### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General advice In the case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

Never give anything by mouth to an unconscious person.

If unconscious, place in recovery position and seek medical advice.

Inhalation Remove to fresh air.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

If symptoms persist, call a physician.

Skin contact Take off all contaminated clothing immediately.

Wash skin thoroughly with soap and water or use recognized skin

cleanser.



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

Do NOT use solvents or thinners.

If skin irritation persists, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse immediately with

plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical advice.

Ingestion Clean mouth with water and drink afterwards plenty of water.

> Do NOT induce vomiting. Obtain medical attention.

Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

No information available.

### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Alcohol-resistant foam Suitable extinguishing media

Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising

from the substance or mixture

Fire may cause evolution of:

Carbon monoxide Carbon dioxide (CO2)

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Additional advice

Exposure to decomposition products may be a hazard to health. Wear self-contained breathing apparatus for firefighting if necessary.

Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must be disposed

of in accordance with local regulations.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe vapour.

6.2 Environmental precautions

up

The product should not be allowed to enter drains, water courses or the

If the product contaminates rivers and lakes or drains inform respective

authorities

6.3 Methods and material for containment and cleaning

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section

Clean with detergents. Avoid solvents.

Dispose of contaminated material as waste according to item 13.

Clean contaminated surface thoroughly.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes.

Prevent unauthorized access.

Provide sufficient air exchange and/or exhaust in work rooms. Comply with the statutory regulations on health and safety at work.

Hygiene measures Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing and gloves, including the inside,

before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage Containers which are opened must be carefully resealed and kept upright

areas and containers to prevent leakage.

Store in original container. Observe label precautions.

Protect from frost, heat and sunlight.

Advice on common storage Keep away from oxidizing agents and strongly acid or alkaline materials.

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s) For further information, see also Technical Data Sheet for the product.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

(2-methoxymethylethoxy) propanol		34590-94-8	
2000/39/EC	Limit Value - eight hours		308 mg/m <sup>3</sup>
2000/39/EC	Limit Value - eight hours		50 ppm
Additional advice:	Identifies the possibility of significant uptake through the skin Indicative		

The lists that were valid during the creation were used as basis.

### 8.2 Exposure controls

### Appropriate engineering controls

Ensure good ventilation; if possible, use / install internal extractor equipment.

### Individual protection measures, such as personal protective equipment

a) Eye/face protection Wear protective goggles for protection against splashed liquid.

Safety glasses with side-shields conforming to EN166

b) Skin protection

Hand protection Recommended preventive skin protection



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

Before starting work, apply water-resistant skincare preparations to

exposed skin areas.

Protective gloves should be worn in case of skin contact during

preparation and application.

Break through time: 480 min Minimum thickness: 0,4 mm

Gloves made of nitrile rubber,e.g. KCL 730 Camatril® Velours (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or

equivalent

Skin that comes into contact with the product should be treated with protective cream. After such contact, the product concerned should

under no circumstances be used.

The selected protective gloves have to satisfy the specifications of EU

Directive 89/686/EEC and the standard EN 374 derived from it.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the

other.

Body Protection Work clothes

Skin should be washed after contact. Do NOT use solvents or thinners.

c) Respiratory protection 
No personal respiratory protective equipment normally required.

In case of insufficient ventilation, wear suitable respiratory equipment. Employees involved in spraying work or in the immediate vicinity of such

work should use a P2 particle filter against spray fog.

Respiratory protection complying with EN 143.

**Environmental exposure controls** 

General advice The product should not be allowed to enter drains, water courses or

the soil.

If the product contaminates rivers and lakes or drains inform

respective authorities.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Appearance liquid
Colour various
Odour characteristic
Odour Threshold No data available

pH ca. 8,1

Melting point/freezing point No data available

Initial boiling point and boiling range

100 °C

Flash point

Not applicable

Evaporation rate

not determined

Flammability (solid, gas)

not applicable

Upper explosion limit / Upper

No data available

flammability limit



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Vapour density No data available

Density ca. 1,026 g/cm<sup>3</sup>

Solubility(ies)

Water solubility
Partition coefficient: n-

Decomposition temperature

octanol/water Auto-ignition temperature miscible not determined

not auto-flammable

No data available

Viscosity

Viscosity, dynamic ca. 1.500 mPa.s (20 °C)

Explosive properties Not explosive

Oxidizing properties Not applicable

9.2 Other information

Flow time > 90 s at 20 °C

Cross section: 4 mm Method: ISO 2431

### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions This information is not available.

10.4 Conditions to avoid

Conditions to avoid Stable under recommended storage and handling conditions (see

section 7).

10.5 Incompatible materials

Materials to avoid Strong acids and strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition

products

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

Decomposition temperature No data available

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects

**Acute toxicity** 

**Product:** 

Based on available data, the classification criteria are not met. Acute oral toxicity

Acute inhalation toxicity Based on available data, the classification criteria are not met.

Acute dermal toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation

**Product:** 

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

**Product:** 

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

**Product:** 

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** 

Based on available data, the classification criteria are not met.

Reproductive toxicity

Product:

Effects on fertility Based on available data, the classification criteria are not met.

**Developmental Toxicity** Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Based on available data, the classification criteria are not met.

STOT - repeated exposure

**Product:** 

Based on available data, the classification criteria are not met.

**Aspiration toxicity** 

Product:

Based on available data, the classification criteria are not met.

**Further information** 

**Product:** 

The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

Product: Toxicity to fish No data available

12.2 Persistence and degradability

**Product:** 

Biodegradability No data available

**Components:** 

(2-methoxymethylethoxy) propanol:

Biodegradability Biodegradation: 75 %

Exposure time: 28 d

Method: OECD Test Guideline 301

rapidly biodegradable

12.3 Bioaccumulative potential

Product:

Bioaccumulation No data available

Components:

(2-methoxymethylethoxy) propanol:

log Pow: -0,35 Partition coefficient: n-

octanol/water

12.4 Mobility in soil **Product:** 

Mobility No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent

and very bioaccumulative (vPvB) at levels of 0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological information Do not allow product to enter into ground water, bodies of water or

sewage systems.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods

Product The user is responsible for proper coding and marking of any waste.

Dispose of as special waste in compliance with local and national

regulations.



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

Partial and residual quantities can be reused.

Contaminated packaging Packaging that is not properly emptied must be disposed of as the

unused product.

Empty packaging should be recycled through disposal systems.

08 01 12 Waste paint and varnish other than those covered by 08 01 11

Waste key for the unused product

### **SECTION 14: TRANSPORT INFORMATION**

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks This information is not available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable

## **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

Directive 2010/75/EU 3,3 % 33,8 g/l VOC

Directive 2004/42/EC 2,52 %

25,9 g/l

EU limit value for this product (cat. A/e) :130 g/lThis product contains

max130 g/IVOC.



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals Not applicable

Other regulations

Comply with the statutory regulations on health and safety at work.

15.2 Chemical safety assessment

This information is not available.

### **SECTION 16: OTHER INFORMATION**

Changes from the previous version are indicated by markings in the left-hand margin. The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Other information

It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until



according to Regulation (EC) No. 1907/2006

# StoAqua Top Satin

stocks have been used up. We ask for your understanding in this

matter.

Department issuing MSDS Department TIQS Sto SE & Co. KGaA Stühlingen,Germany

e.volz@sto.com

Product code REG\_EU / EN PROD3253