StoSilent Coll MW



Mineral system ahesive for StoSilent acoustic systems

For product description see Technical Data Sheet (if available)

Information for building certifications in accordance with DGNB (2012 version) [German Sustainable Building Council]		
Quality level (ENV 1.2)	paints and coatings on mineral substrates (interior): meets quality level 1, 2, 3, and 4 - solvent- and plasticiser-free (in accordance with VdL-RL01 [German paint industry association guidelines])	
Product-specific LCA values (ENV 1.1 and ENV 2.1)	in accordance with the EPD	
Product-specific life cycle (ECO 1.1)	not assessed	
Impact on acoustic comfort (SOC 1.3)	not assessed	
Safety and risk of incidents (SOC 1.7)	no negative impact, as product does not contain halogens	
Cleaning instructions (PRO 1.5, PRO 2.2)	see Technical Data Sheet	
For natural stone: "no child or forced labour" (ENV 1.3)	not applicable	
Information for building certifications in accordance with LEED (2009 version)		
Product group classification	EQ4.2_Primer or Undercoat	
Recycled content (post-consumer) (MR Credit 4)	0 %	
Recycled content (pre-consumer) (MR Credit 4)	0 %	
Rapidly renewable materials (MR Credit 6)	0 %	
Certified wood (FSC or PEFC) (MR Credit 7)	not applicable	
VOC content (IEQ Credit 4.1): Low-emitting	not applicable	

Sustainability Data Sheet

StoSilent Coll MW



materials – adhesives and sealants		
VOC content (IEQ Credit 4.2): Low-emitting materials – paints and coatings	0 g/l (less water)	
VOC content (IEQ Credit 4.3): Low-emitting materials – flooring systems	not applicable	
Eco-labels and designations		
Certificates / eco-labels	Declaration of conformity No. ECO-FR-110	
Environmental Product Declaration (EPD)	EPD-DIV-20130117-IBE1	
GISCODE	ZP1	
Safety Data Sheet (SDS)	available	
Technical Data Sheet (TDS)	available	
Product ingredients		
Composition	See Safety Data Sheet (section 3), see Environmental Product Declaration (EPD)	
Hazardous substances (in accordance with EU regulations)	See Safety Data Sheet (section 3)	
Organic content (in accordance with natureplus / baubook)	≤ 5 %	
Volatile organic compounds (CMR substances)	cannot be detected (detection limit: 1 mg/kg) (in accordance with DIN EN ISO 17895)	
VOC content (in accordance with the Decopaint directive)	0 g/l (0 %) (product is not subject to the 2004/42/EC directive)	
Plasticiser content	plasticiser-free (in accordance with the VdL directive 01	

Sustainability Data Sheet

StoSilent Coll MW

|--|

sto _____

	[German Paint and Printing Ink Association])	
Free formaldehyde	not present	
Biocide(s) / active substance(s) to protect the coating (in accordance with EU Regulation 528/2012)	not present	
Biocide(s) / active substance(s) for storage protection (in accordance with EU Regulation 528/2012)	not present	
Heavy metals	not assessed	
Compliance with the emissions restrictions of the titanium oxide industry (in accordance with directive 2010/75/EU and BImSchV 25 [German Federal Emission Protection Regulations])	yes	
Halogenated organic compounds	none	
Emissions		
Emissions		
Emissions Halogenated hydrocarbons	cannot be detected (detection limit: 2 μg/m³) (in accordance with DIN EN ISO 16000-9 or DIN EN 16402)	
Halogenated hydrocarbons	accordance with DIN EN ISO 16000-9 or DIN EN 16402) cannot be detected (detection limit: $2 \mu g/m^3$) (in accordance with DIN EN ISO 16000-9 or Merckoquant	
Halogenated hydrocarbons	accordance with DIN EN ISO 16000-9 or DIN EN 16402) cannot be detected (detection limit: 2 µg/m³) (in accordance with DIN EN ISO 16000-9 or Merckoquant formaldehyde test) cannot be detected (detection limit: 2 µg/m³) (in	
Halogenated hydrocarbons Formaldehyde Semi-volatile organic compounds SVOCs	accordance with DIN EN ISO 16000-9 or DIN EN 16402) cannot be detected (detection limit: 2 µg/m³) (in accordance with DIN EN ISO 16000-9 or Merckoquant formaldehyde test) cannot be detected (detection limit: 2 µg/m³) (in	
Halogenated hydrocarbons Formaldehyde Semi-volatile organic compounds SVOCs Disposal / re-use / recycling	accordance with DIN EN ISO 16000-9 or DIN EN 16402) cannot be detected (detection limit: 2 µg/m³) (in accordance with DIN EN ISO 16000-9 or Merckoquant formaldehyde test) cannot be detected (detection limit: 2 µg/m³) (in accordance with DIN EN ISO 16000-9 or DIN EN 16402)	

Sustainability Data Sheet

StoSilent Coll MW



sto

	requirements with a regional disposal company.
Sto corporate responsibility	
Sto Guiding Principles / Corporate Governance	Sto's vision is to be the technology leader in the sustainable design of living space tailored to human needs. Worldwide. For further information please visit: www.sto.com
UN Global Compact - membership	Sto is a member of the UN Global Compact and is committed to upholding ten universally acknowledged principles taken from the areas of human rights, labour standards, environmental protection, and anti-corruption. For further information please visit: www.unglobalcompact.org
ILO fundamental conventions	Sto has committed itself to adhering to the ILO fundamental conventions at all of its locations.
Quality, environmental and energy management	Production location certified in accordance with DIN EN 9001, DIN EN 14001, and DIN EN 50001.
Supplier Code of Conduct	The Sto Supplier Code of Conduct is based on the principles of the UN Global Compact and the Sto Guiding Principles. Suppliers must adhere to these and are continuously evaluated.

sto

Sustainability Data Sheet

StoSilent Coll MW



This document aims to help you better assess the sustainability of our products. We consider sustainability to be a complex process that involves bringing together economic, ecological, and social criteria in order to satisfy the needs of current and future generations. Our products aim to contribute to this, while also meeting the requirements placed on them with respect to well-being, quality, and functionality. We regard sustainability as a process of continuous improvement, not one with an end result. With this in mind, we have defined the following core statements for our products:

- 1. Sto products make a contribution to key aspects of sustainability: e.g. climate protection, building, energy, and resource efficiency, protection and durability, health, and well-being.
- 2. All of the raw materials used in Sto products fulfil the functions for their application and are optimised with respect to their impact on the environment based on the latest technology.
- 3. Sto products are produced in an energy and resource-efficient manner; renewable raw materials are used when appropriate and acceptable from an ecological, economical, and social perspective.
- 4. Sto evaluates and promotes the potential to dispose of, reuse, and recycle its products, taking technological and economical feasibility into account.

It is not just down to us to determine how the sustainability of our products is interpreted and evaluated - your opinions and decisions also play a role. The information listed here, which has the environment and health as its main focus, aims to assist you in this regard.

The information and data contained in this sustainability data sheet is based on our knowledge and experience. The publication of a new sustainability data sheet invalidates all previous versions. Please observe the information in the Technical Data Sheet and Safety Data Sheet. The latest version is available on the Internet.

Sto SE & Co. KGaA Ehrenbachstr. 1 D - 79780 Stühlingen Phone: 07744 57-0 Fax: 07744 57-2178 infoservice@sto.com www.sto.de